

NEWTEC NEWSLETTER

NOVEMBER 2009



INSIDE THIS ISSUE:

- 1 **Dear Newtec dealers**
- 2 **Correct specifications are essential for costs and delivery time**
- 2 **Remember the installation report**
- 3 **Sirena case**
- 3 **New market segments**
- 4 **Colorado case 12 + 1**
- 5 **Punnets and clam shells**
- 6 **Optimized service at NEWTEC – direct call to the employees**

4009B2 - the first machine of a new generation of weighing machines

Dear Newtec dealers,

New weigher at Harrogate

British Potato 2009 will take place at Harrogate November 25th & 26th with participation of Newtec UK.

At this show Newtec presents 4009B2, the first machine of a new generation of weighing machines! So more to come!

The 4009B2 has new infeed to ensure good distribution of the product, Vario Speed to replace auto-stop, new compact and userfriendly touch control panel, detachable pans for easy cleaning and maintenance etc.

The 4009B2 express a modern industrial design with weigher and belt system integrated in one unit.

Price and brochure will "shortly" be available.

New direct phone numbers

In the 3rd issue of Newtec Newsletter you will also find a list of direct phone numbers to employees at Newtec to improve our service and support to you.

Enjoy reading the Newsletter.

Best regards

Henrik Winther Knudsen

CEO / Newtec A/S

Correct specifications are essential for costs and delivery time

At Newtec we strive to deliver to the promised delivery time.

Delivery precision is a key word for the whole Newtec team!

It is essential for you as dealer and responsible for the installation that you receive Newtec machines and equipment in due time to finalize a project. This will secure lowest possible costs and have the customer production up running as expected.

But to produce the machines and equipment to the right time and with the calculated costs we need to have the correct specifications and information from you and your customer.

We at Newtec often see late incoming specifications delaying construction, purchase and assembling. This creates extra costs and re-planning.

Typical lack of specifications and information to orders are dimensions of chutes, trays etc.

We kindly ask you to be aware of this topic to the benefit of all of us.

Thank you in advance.

Delivery precision is a key word for the whole Newtec team

Remember the installation report

Together with all machine deliveries, Newtec forwards installation reports, which we ask you to fill out. It is important that you immediately fill out and return the installation report every time, so that we at Newtec can maintain and improve our well known quality. We kindly ask you to remember to fill out and return the report every time. Your feedback is very important to us, please send it to aftersales@newtec.dk or by fax +45 66 15 44 39 (Att. Aftersales).

Thank you in advance.

Your feedback is very important to us

Colorado case 12 + 1

Newtec has recently delivered two Celox potato grading machines to the US. Michael Barrett employed by Ag-Pak Inc. of Gasport, NY tells:

"We recently, along with our dealers, Pepper Equipment and Ottomation, installed two, 12 + 1 Newtec Celox potato grading machines. These machines were installed at Hi-Land Potato Company and Metz Potato Company in beautiful Monte Vista, Colorado. Along with Newtec`s technician Ulrik Pedersen we were able to incorporate these machines into each shed in about 2 weeks time. These machines have far exceeded our customer`s expectations for grading and size. When asked about the sizing aspect of the Celox, I quote our customer Bill Metz:

"The 4 to 10 ounce potatoes are all within their range, 0 % oversize and 0 % undersize, there is not another shed in the valley that can do that" (Metz).

When I asked Matt of Hi-land Potato his thoughts on the installation of his Celox, he responded "Grandpa (Karl) is very happy with his decision to purchase this machine, no complaints" (Matt).

We are very pleased with the results and capabilities of this machine. In closing I will quote our dealer Justin Pepper: "Thanks to everybody who has worked on this project with us. All of the hard work we have put into promoting, selling and the installation of these machines has paid off, we have two very happy customers. Keep up the good work" (Pepper). Celox is the future!" (Michael Barrett, Ag-Pak Inc.)

"Celox is the future"

Michael Barrett, Ag-Pak Inc.



Punnets and clam shells

Newtec produces many NBM machines with lid closer. Lately we have made a NBM61 with lid closer in combination with a special 2009 for mix of small peppers. The weigher was split into 2-5-2 to make it possible to mix peppers of two or three colours.



The NBMs with lid closers have always been slower than the NBMs without closer. To increase speed we have made machines with two closing units, which work parallel with each other. In the near future we will build a NBM91 with triple closer. The three closers will operate at the same time as the dispenser loads three punnets on the conveyor. This will minimize the time lost for closing, and we should be able to do over 60 per minute, if fed from a weigher with three conveyors.



Our most specialized NBM is the NBM61 TC for triangular punnets. For this type of punnets it has been necessary to make the closing unit outside the punnet conveyor. The closing unit is built as an integrated part of the push out unit. It will close two punnets at a time. The machine is able to fill and close 50-55 punnets per minute. The machine were made for the Rubipack triangular punnet, but has been adapted to other types as well.